	Application No.	Applicant(s)
Notice of Allowability	10/805,323	IWATA ET AL.
	Examiner	Art Unit
	William T. Leader	1742
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative		
of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the telephone conversation on May 10, 2007.		
2. The allowed claim(s) is/are <u>2-7</u> .		
3. ☑ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☑ All b) ☐ Some* c) ☐ None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
,		
		•
	•	
Attachment(s) 1. Notice of References Cited (PTO-892)	5. Notice of Informal I	Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. X Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Da 7. ⊠ Examiner's Amend	ment/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Statem	ent of Reasons for Allowance
c. Diological Material	9. Other	
•		

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR

additions so unacceptable to applicant, an amendment may so med as provided by 57 of R

1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the

payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with

Damond Vadnais on May 10, 2007.

The application has been amended as follows:

In the Claims:

Claim 1 has been canceled.

Claim 2 has been rewritten as follows:

2. (Currently amended) A zinc oxide film treatment method according to claim 1, A

zinc oxide film treatment method for heating a film of zinc oxide electrochemically deposited on

an electroconductive substrate from an aqueous solution,

wherein heat treatment is carried out at a treatment temperature of 150°C or higher and

400°C or lower in a N₂ or inert gas atmosphere that contains oxygen, and

wherein an oxygen partial pressure ratio to N₂ or inert gas is 1% or higher and lower than

10%.

Application/Control Number: 10/805,323

Art Unit: 1742

Claim 3, line 1: "1" has been changed to --2--.

Claim 4, line 1: "1" has been changed to --2--.

Claim 5, line 1: "1" has been changed to --2--.

Claim 6, line 1: "1" has been changed to --2--.

Claim 7, line 3: "1" has been changed to --2--.

COMMENTS

On page 5 of the Office action mailed on April 19, 2007, claim 2 was objected to as being dependent upon a rejected base claim, but was indicated as being allowable if rewritten in independent form including all of the limitations of the base claim. This amendment places claim 2 in independent form.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to William T. Leader whose telephone number is 571-272-1245.

The examiner can normally be reached on Mondays-Thursdays and alternate Fridays, 7:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Roy King, can be reached on 571-272-1244. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/805,323

Art Unit: 1742

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

WL William Leader May 11, 2007

HOY KING 1.

SUPERVISORY PATENT EYACAN